

## Dati Tecnici - Specifications

	cond	comp. W	ABS. W	A / Fuse	Kwh/100Kg	I / h	kg	Lbs	kg	Lbs	Ton CO2 equiv.
E35 A		782	350	10	23,9	4,20	36	79	42	93	0,24
E35 W		782	300	10	20,0	22,6	37	82	43	95	0,24



## Produzione Ghiaccio - Ice Production

### Raffreddamento ad aria - Air Cooled Unit


Temp. Aria Air Temp.	Temp. Acqua / Water Temp.			
	32°	21°	15°	10°
°C	32°	21°	15°	10°
°F	90°	70°	60°	50°
10°	<b>30</b>	<b>33</b>	<b>36</b>	<b>37</b>
50°	67	74	79	81
21°	<b>28</b>	<b>30</b>	<b>33</b>	<b>34</b>
70°	62	66	74	76
32°	<b>24</b>	<b>26</b>	<b>27</b>	<b>28</b>
90°	53	58	59	61
38°	<b>22</b>	<b>24</b>	<b>25</b>	<b>26</b>
100°	49	52	55	57

### Raffreddamento ad acqua - Water Cooled Unit

Temp. Aria Air Temp.	Temp. Acqua / Water Temp.			
	32°	21°	15°	10°
°C	32°	21°	15°	10°
°F	90°	70°	60°	50°
10°	<b>29</b>	<b>32</b>	<b>33</b>	<b>35</b>
50°	64	71	73	77
21°	<b>28</b>	<b>31</b>	<b>32</b>	<b>33</b>
70°	62	68	71	73
32°	<b>27</b>	<b>29</b>	<b>30</b>	<b>32</b>
90°	60	64	66	71
38°	<b>26</b>	<b>28</b>	<b>29</b>	<b>30</b>
100°	57	62	64	66



### PANNELLO DI CONTROLLO - CONTROL PANEL



### CAPACITA' DEPOSITO - BIN CAPACITY


12Kg - 26,4 lbs      706 pcs

### DIMENSIONI - DIMENSIONS

LxPxH (mm)  
450 x 545 x 690

WxDxH (inch)  
17 11/16" x 21 7/16" x 27 3/16"

### TIPO GHIACCIO - ICE TYPE



**17g**  
PESO GHIACCIO  
WEIGHT ICE




**20**  
PZ/CICLO  
PCS / CYCLE

### CONDIZIONI USO-OPERATING REQUIREMENTS



220-240/1/50Hz      R134a GWP=1430

MIN		MAX
10°C (50°F)		40°C (104°F)
5°C (41°F)		35°C (95°F)
- 10 %		+ 10 %
1 Bar (14 psi)		5 Bar (70 psi)



- (A) OPTIONAL - Attacco entrata acqua - 3/4"gas  
OPTIONAL - Water inlet connect - 3/4"gas
- (B) Ingresso alimentazione elettrica  
Electrical cable supply
- (C) Attacco scarico acqua diam. 20 mm  
Water outlet connection
- (D) Uscita acqua condensatore ad acqua diam. 20 mm  
Water outlet connection water condensation
- (E) Attacco entrata acqua - 3/4"gas  
Water inlet connect - 3/4"gas